

PRODUCT GUIDE

Manufactured Housing


Premier Evaporator Coil



Advanced Distributor Products™

The Premier Upgrade for Any System

ADP premier evaporator coils match perfectly with your system, providing an upgrade over standard matched coils. ADP coils are thoroughly tested to ensure optimal quality and deliver reliable ratings. They are uniquely designed to save customers time on installation. ADP premier evaporator coils are the perfect solution for your application.



R-22 and R-410A Compatible	Greater flexibility for new or replacement applications
Leak Free Rubber Plugs	Suction and liquid lines do not require cutting for installation
Down-turned Headers	Sized out down-turned headers for easy line brazing
Pressure Tested Twice	Ensuring superior performance at higher R-410A operating pressures



Blow-off Protection & Improved Air Quality

ADP provides enhanced protection to prevent condensate blow-off and improve overall air quality. Our manufactured housing evaporator coils are designed to remove unhealthy standing water from the drain pan.



Reduce Condensate Blow-off

Specially designed downflow drain pan for added protection

Reduced Installation Time

Drip shield molded into pan, no installation required

Sloped Drain Pan Superior drainage versus standard manufactured housing coils

Moisture Control

Reduced opportunities for growth of mold and bacteria due to standing water

THE ADP ADVANTAGE

FLEXIBILITY	ADP tailors custom solutions to meet your market needs.	
QUALITY	ADP proprietary testing technology ensures leak-free performance at the higher operating pressures of R-410A systems.	
SERVICE	ADP coils are made for seamless installation and easy access.	
ENERGY SAVINGS	S Models are available to achieve higher SEER levels for ENERGY STAR compliance, utility rebates, and federal tax credits.	
WARRANTY	ADP coils come with a no hassle 5-year warranty and feature an available 10-year limited warranty. Simply register online at www.ADPwarranty.com.	

NOMENCLATURE

Μ	24	E32	6
Product Line	Nominal MBTUH	Slab Number	Metering Device
M: Manufactured Housing (Uncased)	24 30 36 42 48	E30 E31 E32 etc.	 Piston (R-410A) Non-bleed A/C TXV (R-410A) Non-bleed HP TXV (R-410A)
	60		

* See Spec Guide for additional nomenclature details.

ADDITIONAL FEATURES



TXV with all threaded connections saves time in the field; no brazing required




Filter friendly top plate allows an air filter to be placed directly on top of coil

Proudly distributed by:

2175 West Park Place Boulevard Stone Mountain, Georgia 30087 www.adpnow.com





SL-MAC-07 February 2020

