



Soffit Mount Multi-Family Air Handlers for Lennox





| Contents | Page |
|--------------------|------|
| Nomenclature | 2 |
| Product Features | 3 |
| Physical Data | 3 |
| Blower Performance | 3 |
| Dimensions | 4 |
| Flectrical Data | 5 |


Product improvement is a continuous process at Advanced Distributor Products. Therefore, product specifications are subject to change without notice and without obligation on our part. Please contact your ADP representative or distributor to verify details.

© by Advanced Distributor Products. All rights reserved.






Lennox Soffit Mount Air Handler A1 Refrigerants



Lennox Soffit Mount Air Handler A2L Refrigerants



Product Features

General Features

- Available in uncased or factory-installed cased configurations.
- Designed for drop ceiling or Fur-Down application.
- Constructed of heavy-gauge, corrosion-resistant galvanized steel.
- · Left hand refrigerant connections.
- Condensate drain connections on left and right side of air handler.
- · Decorative panel available as accessory.
- Air pressure leak tested.
- Suitable for free air-return installation (non-ducted return).

Coil Features

- Available in copper or aluminum construction.
- A1 models suitable for use with R-22 and R-410A.
- A2L models suitable for use with R-32 and R-454B.
- A2L models include factory installed Refrigerant Detections System (RDS).
- Field or factory installed threaded expansion valve.
- Drain pans are constructed of aluminum to resist corrosion.
- · Lanced fin design.
- Rifled copper tubing.

Electrical Features

- ECM Constant Torque motor or PSC motor available.
- Easy to service electric heat section.
- Pull disconnect line voltage connection standard on all factory-installed heat models.
- Includes thermostat connections, time delay, & motor speed settings (PSC motor uses control board; functions are built into the ECM Constant Torque motor).

| | | | | | • | , | | | | | | | | | |
|-------------------------------|----------------|-------|-------|-------|-------|-------|-------|-----------|---------------|-------|-------|-------|-------|-------|-------|
| Dhysical | Data | | | | | | | Un | it Size | | | | | | |
| Physical I | LSC18 | LEC18 | LSC19 | LEC19 | LSC23 | LEC23 | LSC24 | LEC24 | LS25 | LEC25 | LSC29 | LEC29 | LSC30 | LEC30 | |
| Available Voltages | | | | | | | 2 | 08/240 V, | 60 Hz, 1 Phas | Э | | | | | |
| Maximum Elec. Heat a | vailable (kW) | 8 | 8 | 8 | 8 | 8 | 8 | 10 | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| Transformer Size and | Туре | | | | | | | 40VA | , Class 2 | | | | | | , |
| Blower Data: | Motor H.P. | 1/8 | | 1/8 | | 1/3 | | 1/3 | | 1/3 | - | 1/3 | | 1/3 | |
| 2-Speed PSC Motor | F.L.A. @ 240 V | 1.25 | - | 1.25 | - | 1.9 | - | 1.9 | | 1.9 | - | 1.9 | | 1.9 | |
| Blower Data: | Motor H.P. | | 1/4 | - | 1/4 | | 1/4 | | 1/4 | | 1/4 | | 1/4 | | 1/4 |
| ECM Constant Torque | F.L.A. @ 240 V | | 2 | - | 2 | | 2 | | 2 | | 2 | | 2 | - | 2 |
| Nominal CFM | | 600 | 600 | 600 | 600 | 800 | 800 | 800 | 800 | 800 | 800 | 1000 | 1000 | 1000 | 1000 |
| Refrigerant Conn. (IDS | S) Suction | | | | | • | | ; | 3/4" | | | | | | |
| Refrigerant Conn. (IDS | S) Liquid | | | | | | | | 3/8" | | | | | | |
| R-410A Piston Size (in | 1) | 0.049 | 0.049 | 0.049 | 0.049 | 0.053 | 0.053 | 0.053 | 0.053 | 0.053 | 0.053 | 0.059 | 0.059 | 0.059 | 0.059 |
| Pallet Quantity (min or | | | | | • | | • | 8 | | | | | | | |
| Max Unit Weight (uncased) | | 60 | 63 | 65 | 68 | 63 | 63 | 65 | 68 | 70 | 73 | 68 | 70 | 70 | 73 |
| Max Shipping Weight (uncased) | | 63 | 66 | 68 | 71 | 66 | 66 | 68 | 71 | 73 | 76 | 71 | 73 | 73 | 76 |
| Max Unit Weight (case | ed) | 89 | 92 | 97 | 100 | 92 | 92 | 97 | 100 | 105 | 108 | 103 | 105 | 105 | 108 |
| Max Shipping Weight | (cased) | 92 | 95 | 100 | 103 | 95 | 95 | 100 | 103 | 108 | 111 | 106 | 108 | 108 | 111 |

Blower Performance

2-Speed PSC Motor

| 2 opeca i oo motoi | | | | | | | | | |
|--------------------|-------------------------|--|-----|-----|-----|-----|--|--|--|
| Unit Size | Blower Speed Setting | Airflow (CFM) vs. External Static Pressure (inches W.C.) *** | | | | | | | |
| | Setting | 0.1 | 0.2 | 0.3 | 0.4 | 0.5 | | | |
| LSC 18, 19 | Low - Red | 610 | 536 | 468 | 392 | 316 | | | |
| L3C 10, 19 | * ^ High -Black | 680 | 607 | 532 | 456 | 368 | | | |
| LSC 23 | Low - Red | 846 | 777 | 702 | 627 | 546 | | | |
| L3C 23 | * ^ High -Black | 902 | 830 | 755 | 667 | 589 | | | |
| LSC 24, 29 | Low - Red | 833 | 781 | 725 | 658 | 580 | | | |
| L3C 24, 29 | * ^ High -Black | 1039 | 976 | 903 | 825 | 728 | | | |
| LSC 25, 30 | Low - Red | 839 | 771 | 706 | 644 | 553 | | | |
| 130 23, 30 | * ^ High -Black | 1050 | 975 | 901 | 820 | 744 | | | |

^{*} Factory setting for cooling.

- · Heating speeds should not be reduced below factory setting.
- Different speeds can be set for cooling mode; see installation instructions.
- When matched with heat pump, and the room thermostat calls for second stage heat (electric heat strips), the first stage (heat pump) operation must be locked out. See parts sheet for Heat Pump Relay Kit - Part #76701444.

ECM Constant Torque Motor

| Unit Size | Blower Speed | Airflow (CFM) vs. External Static Pressure (inches W.C.) *** | | | | | | | |
|-------------------|-----------------|--|-----|-----|-----|-----|--|--|--|
| | Setting | 0.1 | 0.2 | 0.3 | 0.4 | 0.5 | | | |
| | Tap 1 (G) | 604 | 514 | 453 | 437 | 301 | | | |
| 150.40 | Tap 2 (DS) | 604 | 514 | 453 | 437 | 301 | | | |
| LEC 18, 19 | Tap 3 (Y1) | 735 | 651 | 577 | 506 | 444 | | | |
| 13 | Tap 4 (Y2) | 890 | 826 | 764 | 700 | 605 | | | |
| | ^ Tap 5 (W1) | 890 | 826 | 764 | 700 | 605 | | | |
| | Tap 1 (G) | 618 | 547 | 464 | 344 | 270 | | | |
| 150.00 | Tap 2 (DS) | 617 | 547 | 469 | 351 | 273 | | | |
| LEC 23, 24, 29 | Tap 3 (Y1) | 779 | 720 | 633 | 549 | 441 | | | |
| 24, 25 | Tap 4 (Y2) | 940 | 876 | 812 | 750 | 675 | | | |
| | ^ Tap 5 (W1) | 937 | 875 | 812 | 750 | 674 | | | |
| | Tap 1 (G) | 630 | 557 | 485 | 380 | 277 | | | |
| 1 50 05 | Tap 2 (DS) | 630 | 556 | 483 | 378 | 277 | | | |
| LEC 25, 30 | Tap 3 (Y1) | 803 | 719 | 640 | 576 | 521 | | | |
| | Tap 4 (Y2) | 981 | 909 | 833 | 766 | 705 | | | |
| | ^ Tap 5 (W1) | 984 | 909 | 837 | 769 | 709 | | | |

[^] Factory setting for heating.


[^] Factory setting for heating.

^{***} All airflow data is with a dry coil & electric heat.

^{***} All airflow data is with a dry coil & electric heat.


Uncased Dimensions

| Air Handler | A (in) | B (in) | C (in) |
|-------------|--------|--------|--------|
| 18, 23 | 37 | 19.5 | 10.5 |
| 19, 24, 29 | 43 | 20.5 | 10.5 |
| 25, 30 | 49 | 20.5 | 10.5 |



Cased Dimensions

| Air Handler Size | A (in) | B (in) | C (in) | D (in) | E (in) |
|------------------|--------|--------|--------|--------|--------|
| 18, 23 | 39.7 | 24 | 11 | 30.5 | 7 |
| 19, 24, 29 | 45.7 | 24 | 11 | 36.5 | 7 |
| 25, 30 | 51.7 | 24 | 11 | 42.5 | 7 |



Electrical Data

| Unit Size (All have electric heat) | Electirc Heat | ting Capacity | Blower Current | | Total Current (A) | | Minimum Circuit | | Maximum Circuit Breaker Size Per | |
|---------------------------------------|----------------------|----------------------|----------------|------------|-------------------|-------|-----------------|----------|-------------------------------------|-------|
| | kW | втин | () | A) | | | Ampa | city (A) | Stage (A) | |
| | 240 V ^[1] | 240 V ^[1] | 208 V | 240 V | 208 V | 240 V | 208 V | 240 V | 208 V | 240 V |
| | 0.0 | 0 | 1 | 1 | 1 | 1 | 2 | 2 | 15.00 | 15.00 |
| | 3.0 | 10,236 | 1 | 1 | 12 | 14 | 15 | 17 | 20.00 | 20.00 |
| 18, 19 | 5.0 | 17,061 | 1 | 1 | 19 | 22 | 24 | 28 | 25.00 | 30.00 |
| | 6.0 | 20,473 | 1 | 1 | 23 | 26 | 29 | 33 | 30.00 | 35.00 |
| | 8.0 | 27,297 | 1 | 1 | 30 | 35 | 38 | 43 | 40.00 | 45.00 |
| | 0.0 | 0 | 2 | 2 | 2 | 2 | 2 | 2 | 15.00 | 15.00 |
| | 3 ^[2] | 10,236 | 2 | 2 | 13 | 14 | 16 | 18 | 20.00 | 20.00 |
| 22 24 25 20 20 | 5.0 | 17,061 | 2 | 2 | 20 | 23 | 25 | 28 | 25.00 | 30.00 |
| 23, 24, 25, 29, 30 | 6.0 | 20,473 | 2 | 2 | 24 | 27 | 29 | 34 | 30.00 | 35.00 |
| | 8.0 | 27,297 | 2 | 2 | 31 | 35 | 38 | 44 | 40.00 | 45.00 |
| | 10 ^[3] | 34,121 | 2 | 2 | 38 | 44 | 48 | 54 | 50.00 | 60.00 |

- [1] For 208 Volts use .751 correction factor for kW & MBTUH.
- [2] 10kW not available in -23 model
- [3] 10 kW is not available in 23 model

| | Electirc Hea | Blower Current | | | Minimum Circuit | | Maximum Circuit | | | |
|---------------------------------------|----------------------|----------------------|-------|-------|-------------------|-------|-----------------|-------|-------------------------------|-------|
| Unit Size (All have electric heat) | kW | втин | (A) | | Total Current (A) | | Ampacity (A) | | Breaker Size Per Stage (A) | |
| | 240 V ^[1] | 240 V ^[1] | 208 V | 240 V | 208 V | 240 V | 208 V | 240 V | 208 V | 240 V |
| | 0.0 | 0.0 | 2.0 | 2.0 | 2.0 | 2.0 | 2.5 | 2.5 | 15.0 | 15 |
| | 3 ^[2] | 10236.4 | 2.0 | 2.0 | 12.8 | 14.5 | 16.0 | 18.1 | 20.0 | 20 |
| 18, 19, 23, 24, 25, 29, 30 | 5.0 | 17060.7 | 2.0 | 2.0 | 20.1 | 22.8 | 25.1 | 28.5 | 30.0 | 30 |
| 10, 13, 23, 24, 25, 25, 30 | 6.0 | 20472.9 | 2.0 | 2.0 | 23.7 | 27.0 | 29.6 | 33.8 | 30.0 | 35 |
| | 8.0 | 27297.1 | 2.0 | 2.0 | 30.9 | 35.3 | 38.6 | 44.2 | 40.0 | 45 |
| | 10 ^[3] | 34121.4 | 2.0 | 2.0 | 38.1 | 43.7 | 47.6 | 54.6 | 50.0 | 60 |

- [1] For 208 Volts use .751 correction factor for kW & MBTUH.
- [2] 3 kW is not available in 25, 30 model
- [3] 10 kW is not available in 18, 23 model

Electrical Connections

- Determine the number of circuits needed to supply the heater with electrical power (1 or 2 circuits). See the air handler Accessory Kit label for number of circuits and ratings.
- 2. Disconnect all power supplies.
- 3. Remove the control panel.
- 4. Using the pre-punched wiring holes, install UL listed wires and fittings.
- 5. Connect appropriate size wire to the pull disconnect terminals.
- 6. Connect green ground wire(s) (1 or 2) to the ground terminal(s) (1 or 2) marked "GND".
- 7. Install conduit-opening plugs in any unused openings.
- 8. Reinstall the air handler control panel.
- 9. Reconnect power.
- 10. Dispose of all remaining parts.

